

Embrace the Freedom of Scalable Wireless Audio

## IPEVO VOCAL HUB Wireless Audio System

Wireless pairing for up to 6 IPEVO VOCALs, each with a 40-hour battery life and 2-way Al noise reduction. It's compatible with laptops and mobile devices, seamlessly integrating with third-party equipment for enhanced flexibility.











# Have You Experienced the Frustration of...

Poor audio quality in the conference room?


Struggling to be heard clearly, results in needing to raise your voice or constant movement to find the "sweet spot" near the audio device?

Dealing with the headaches of complicated installations and tangled wires?

# Seamless Sound & People-centric Audio

No matter how the meeting is set up or where people are located, whether they are dispersed or grouped, everyone in the meeting can easily speak and hear. Simply pair up and rearrange to cover any space.

Ideal for different table arrangements, enabling dispersed groups to remain in their original seats while still achieving excellent audio reception, speaking, and participation in discussions.



# The Revolutionary Wireless Conference Audio System!

Say Goodbye to Audio Hassles in the Meeting Room!

#### **Effortless Setup**

Unique Bluetooth Wireless Audio System

#### **Convenient Wireless**

Liberating from Intricate Wiring -Embrace Wireless Convenience

### **Unmatched Flexibility**

Scalable and Fits
Any Meeting Room Design











#### **Noise Reduction**

World's First 2-way Al Noise Reduction

### Seamless Upgrade

Seamless Audio Upgrade for Existing Conference Systems

# Streamlined Setup


Simply plug in a VOCAL HUB via USB to your laptop running Microsoft Teams® or Zoom Rooms®, then seamlessly pair with the IPEVO VOCAL wireless Bluetooth speakerphone and your meeting is ready to begin.



# Multiple Modes are Supported

## **New Conference Room Setup**

IPEVO VOCAL offers several purchasing packages, and you can select one based on your conference room space requirements.



<sup>\*</sup> The VOCAL HUB device needs to connect to a power source when it operates or powered by a laptop via a USB port.

### Upgrade Existing System's Audio Wirelessly

The VOCAL HUB can be connected to third-party video bars/conference equipments through USB or Line In/Out interfaces, enhancing the entire conference setup to improve flexibility and sound capture coverage while also overcoming dead zones.



### **Extend Audio Coverage to Mobile Devices**

Broaden the audio range of your mobile device (mobile phone) by connecting VOCAL HUB via Bluetooth.




## **Optional Purchase**

Experience a Complete Meeting Solution with IPEVO Panoramic Conference Camera

### 180-degree

Panoramic Conference Camera

Place the camera at the front edge of the conference table or below the television



### 360-degree


**Immersive Conference Camera** 


Place the camera in the center of your conference table














### **Specifications**

\* Features and specifications are subject to change without prior notice

### **VOCAL HUB**



	P	F'	$\bigvee$	$\cap$	V	$ \cap $	CA	
- 1		_	v	$\mathbf{\mathcal{C}}$	v	$\mathbf{\circ}$	$\cup$	_



Model	CDHB-01IP
Part Number	5-926-2-08-00
Size [LxWxH]	4.6" x 4.6" x 1.3" / 118 x 118 x 33 mm
Weight	0.33 lbs / 150 g
Color	Black
Operation Temperature	32°F to 140°F±35.6°F / 0°C to 60°C±2°C
Output Connectivity	USB Micro-B 2.0, Bluetooth 5.0, 3.5 mm Line in / out
Bluetooth Range with VOCAL	Up to 49 ft / 15 m
Frequency	2,402 to 2,480 MHz
Audio Codec	ADC SNR: 90 dB at 3.3 V, 85 dB at 1.8 V" DAC SNR: 100 dB at 3.3 V, 95 dB at 1.8 V"
Compatibility	Mac, Windows, and Chromebook
Power Volt	DC 5 V±5% 500 mA
Built-in Features	Able to connect up to 6 IPEVO VOCAL speakerphones via Bluetooth     Easy installation: Bluetooth pairing and wall mount

Model	CSCB-01IP
Part Number	5-907-2-08-00
Size [LxWxH]	2.8" x 2.8" x 9.5" / 72 x 72 x 242 mm
Weight	0.76 lbs / 345 g
Color	Black
Operation Temperature	32°F to 104°F / 0°C to 40°C
Bluetooth Range	Up to 98.4 ft / 30 m
Microphone Frequency Range	100 Hz to 8 KHz
Voice Pickup Range	16.40 ft / 5 m (with voice >65 dB)
Speaker Bandwidth [ Speak Mode ]	145 Hz to 20 KHz
Noise Reduction	Yes
Acoustic Echo Cancelation	Yes
Output Connectivity	USB Type C 2.0, Bluetooth 5.1
Battery Life	40 hrs when connected via Bluetooth at 50% speaker volume
Power Consumption	2.5 W 1 KHz@4.68 V: 326 mA
	0 1 i d ti d. b l t-11:00

Built-in Features

- 2-way Al noise reduction powered by IntelliGO
- Omni-directional: 360° voice capture Directional: 120° voice capture

